

Push and Pull Door Furniture

Lockwood Entrance Handles

Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.


Stainless Steel Construction

Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors




Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Standard Finish

Satin Stainless Steel

SSS



Push and Pull Door Furniture

Lockwood Entrance Handles



ASSA ABLOY

141

Dimensions:


	A	B1	B2	C	D	E
141X300SSS	300mm	22mm	40mm	45mm	450mm	25mm
141X450SSS	450mm	22mm	40mm	45mm	600mm	25mm
141X600SSS*	600mm	22mm	40mm	45mm	750mm	25mm

* Pictured

Fixing:

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



142

Dimensions:


	A	B	C	D	E
142X300SSS	300mm	32mm	45mm	450mm	25mm
142X450SSS	450mm	32mm	45mm	600mm	25mm
142X600SSS*	600mm	32mm	45mm	750mm	25mm

* Pictured

Fixing:

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



143

Dimensions:


	A	B1	B2	C	D
143X300SSS	300mm	30mm	15mm	35mm	315mm
143X450SSS	450mm	30mm	15mm	35mm	465mm
143X600SSS*	600mm	30mm	15mm	35mm	615mm

* Pictured

Fixing:

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole



Push and Pull Door Furniture

Lockwood Entrance Handles

145

Dimensions:


	A	B	C	D	E
145X225SSS	225mm	25mm	45mm	300mm	19mm
145X375SSS	375mm	25mm	45mm	450mm	19mm
145X525SSS*	525mm	25mm	45mm	600mm	19mm

* Pictured

Fixing:

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole



146

Dimensions:


	A	B	C	D	E	F
146X450SSS	450mm	25mm	60mm	475mm	60mm	25mm
146X600SSS*	600mm	25mm	60mm	625mm	60mm	25mm

* Pictured

Fixing:

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



147


Dimensions:

	A	B	C	D	E
147X450SSS	450mm	19mm	45mm	600mm	19mm

Fixing:

Timber 2 x 62mm M8 Bolts - 8.5mm hole

Glass 2 x 32mm M8 Bolts - 13mm hole



Push and Pull Door Furniture

Lockwood Entrance Handles



151

Dimensions:

	A	B	C	D	E
151X3000SSS	300mm	32mm	80mm	332mm	200mm

Fixing:

Timber	2 x 80mm M8 Bolts - 8.5mm hole
Glass	2 x 40mm M8 Bolts - 13mm hole




192

Dimensions:

	A	B	C	D
192X450SSS	450mm	32mm	85mm	482mm
192X600SSS	600mm	32mm	85mm	632mm

Fixing:

Timber	2 x 80mm M8 Bolts - 8.5mm hole
Glass	2 x 40mm M8 Bolts - 13mm hole




231

Dimensions:

	A	B	C	D	E
231X3000SSS	300mm	32mm	85mm	332mm	140mm

Fixing:

Timber	2 x 80mm M8 Bolts - 8.5mm hole
Glass	2 x 40mm M8 Bolts - 13mm hole



Push and Pull Door Furniture

Lockwood Entrance Handles Ordering Procedure

Ordering Procedure

Sample part number 141X300SSS is made up of several sections.
Choose your product by selecting an option from each section.

For example:

Design		Centre to Centre	Finish
141	X	300	SSS

Design	
141 Style	141
142 Style	142
143 Style	143
145 Style	145
146 Style	146
147 Style	147
151 Style	151
192 Style	192
231 Style	231

Centre to Centre	
300mm Centres	300
141, 142, 143, 151, 231	
450mm Centres	450
141, 142, 143, 146, 147, 192	
600mm Centres	600
141, 142, 143, 146, 192	
225mm Centres	
(145 Style Only)	225
375mm Centres	
(145 Style Only)	375
525mm Centres	
(145 Style Only)	525

