

LEGGE

500 Series

Door furniture



Fire Rated: Tested on fire door assemblies in accordance with Australian Standards, refer fire door manufacturer for specific approval details

The Legge commercial range of door furniture has been designed for use on commercial applications, including interior and exterior doors for retail, educational, governmental, medical and public buildings.

Legge commercial furniture should be specified where heavy duty and durable door furniture is essential.

Features

- Constructed of commercial grade quality components, with forged brass levers and plates
- Heavy duty spring provides a smooth, positive return action of the lever and eliminates droop extending the life of the product
- Furniture re-handed by simple relocation of lever using the screw stop block prior to installation
- Anti-vandal guard option available
- Anti-ligature option available
- The 30 year warranty provides specifiers and users with assured quality and performance
- Suitable for use on fire door assemblies when used with fire rated locks and latches

Specification guide

Function

refer following pages

Lever

refer following pages

Finish

| | |
|----------------------------------|-----|
| Antique bronze | A |
| Chrome plate | C |
| Oil rubbed bronze | ORB |
| Polished brass | P |
| Polished brass unlacquered | PU |
| Satin chrome plate | S |
| Satin black chrome | SBC |
| Satin brass | SB |
| Satin brass unlacquered | SBU |

1. Function

Select the desired function e.g. External cylinder hole 502



2. Lever

Select the required lever design e.g. Renoir #52 502/52

3. Finish


Select the desired finish e.g. Satin chrome plate 502/52S

Handing guide




Specifications


| | |
|------------------------------|---|
| Door type | Timber or metal |
| Door thickness | 32mm to 50mm |
| Fixing centres | 148mm |
| Spindle size | 7.6mm |
| Compatible locks/ latches | Legge 990MF Series mortice locks |
| Fixing | Back to back, external plates concealed fixing, screws supplied with exterior plates only, screw length 75mm |
| Materials | Forged brass |
| Finishes | Antique bronze, Chrome plate, Oil rubbed bronze, Polished brass, Polish brass unlacquered, Satin chrome plate, Satin black chrome, Satin brass, and Satin brass unlacquered |
| Warranty | 30 year mechanical 10 year finish for C, P, PU, S, SB and SBU 1 year finish A, ORB, and SBC |



External plates











Internal plates



Depicted in RH

Depicted in RH

Legend


| | | | |
|------------------|---|--------------------|---|
| Turn snib |  | LED |  |
| Cylinder hole |  | Large turn |  |
| Emergency button |  | Indicating |  |
| Accessible turn |  | Anti-ligature knob |  |




Denotes handed lever

Legge 500 Series levers


Alessandro #55




Alpha #29




Angelo #57




Bergen



Chagall #51



Cisa #59




Legge 500 Series levers


Diablo #15



Ergo #62



Leonardo #12



Monet #50



Neptune




Omega




Legge 500 Series levers

Renoir #52




Rubens #56



Salvador #27



Trilo #61





LEGGE®

500 Series Anti-ligature

Door furniture



The Legge commercial range of anti-ligature door furniture has been designed for use on commercial applications, specifically interior and exterior doors for institutional buildings.

Features

- Constructed of quality components, with forged brass anti-ligature knobs and plates
- Supplied as standard with triwing security screws
- Suitable for doors 35mm to 50mm
- The 30 year warranty provides specifiers and users with assured quality and performance

Specification guide

Function

refer following pages

Finish

| | |
|-------------------------|---|
| Chrome plate | C |
| Polished brass | P |
| Satin chrome plate..... | S |

1. Function

Select the desired function e.g. External cylinder hole 502AH/

2. Finish

Select the desired finish e.g. Satin chrome plate 502AH/S

External plates



Internal plates






Note: Supplied with triwing security screws

Specifications


| | |
|----------------------------------|--|
| Door type | Timber or metal |
| Door thickness | 32mm to 50mm |
| Fixing centres | 148mm |
| Spindle size | 7.6mm |
| Compatible locks/ latches | Legge 990MF Series mortice locks |
| Fixing | Back to back, External plates concealed fixing, screws supplied with exterior plates only, screw length 75mm |
| Materials | Forged brass |
| Finishes | Chrome plate, polished brass, satin chrome plate |
| Warranty | 30 year mechanical 10 year finish |

Legend


| | |
|--------------------|---|
| Cylinder hole |  |
| Emergency button |  |
| Anti-ligature knob |  |

Legge 500 Series Anti-ligature plates


502AH - External plate with cylinder hole




511AH - Internal plate with cylinder hole




504AH - External plate with emergency release




514AH - Internal plate with turn



503AH - External plain plate



512AH - Internal plain plate





ALLEGION™

PIONEERING SAFETY™

We are
Allegion

LEGGE

Legge 500 Series Anti-vandal Door furniture



Fire Rated: Tested on fire door assemblies in accordance with Australian Standards, refer fire door manufacturer for specific approval details

The Legge commercial range of anti-vandal door furniture has been designed for use on commercial applications, including interior and exterior doors that will be subject to vandalism and abuse.

Features


- Constructed of quality components, with forged brass levers and plates
- Heavy duty spring provides a smooth, fast return action of the lever and minimises droop extending the life of the furniture
- Lever hub reinforced to withstand high levels of abuse
- Shear off spindles supplied with lock to minimise potential lock damage
- Supplied as standard with triwing security screws
- Suitable for doors 35mm to 50mm
- Furniture re-handed by simple relocation of stop block
- Suitable for use on fire door assemblies when used with fire rated locks and latches
- The 30 year warranty provides specifiers and users with assured quality and performance

Specification guide


| Function | Lever | Finish |
|-----------------------|-------------------------------------|--|
| refer following pages | Alpha 29 Leonardo 12 | Chrome plate C Polished brass P Satin chrome plate S |

- 1. Function**
Select the desired function e.g. External cylinder hole 502AV
- 2. Lever**
Select the required lever design e.g. Leonardo #12 502AV/12
- 3. Finish**
Select the desired finish e.g. Satin chrome plate 502AV/12S

External plates






Internal plates



Note: Supplied with triwing security screws.

Specifications

| | |
|----------------------------------|--|
| Door type | Timber or metal |
| Door thickness | 32mm to 50mm |
| Fixing centres | 148mm |
| Spindle size | 7.6mm |
| Compatible locks/ latches | Legge 990MF Series mortice locks |
| Fixing | Back to back, External plates concealed fixing, screws supplied with exterior plates only, screw length 75mm |
| Materials | Forged brass |
| Finishes | Chrome plate, polished brass, satin chrome plate |
| Warranty | 30 year mechanical 10 year finish |

| Legend | |
|------------------|---|
| Turn snib |  |
| Cylinder hole |  |
| Emergency button |  |

Legge 500 Series Anti-vandal levers

502AV - External plate with cylinder hole



511AV - Internal plate with cylinder hole




504AV - External plate with emergency release



514AV - Internal plate with turn



503AV - External plain plate



512AV - Internal plain plate



Legge 500 Series spare parts

Triwing security screws

